

SAFETY DATA SHEET (REACH)

In accordance with Regulation (EC) No 2020/878, amendment to Annex II of Regulation (EC) No 1907/2006 (REACH)



DESA-CHEM EAC (COMP. B)

Revision 01: eng 06/02/2023
(sup: 11/02/2022)
Page 1 to 13

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier:

Substance name: DESA CHEM EAC COMP. B (25400201, 25400199)

UFI: :4N72-D01W-R003-9FXK

1.2. Relevant identified uses of the substance or mixture and uses advised against:

1.2.1. Relevant identified uses

Main use category	Industrial use, Professional use
Use of the substance/mixture	A Chemical anchoring application Catalyst

1.3. Details of the Supplier of the safety data sheet:

GRUPODESA FASTENERS, S.A.U.

Carrer Basters, 29 Pol.Ind Palau del Reig | 43800 Valls

Tarragona | Spain

Tlf: +34 977 60 84 06

www.grupodesa.es

1.4. Emergency telephone number:

+34 977 60 84 06 (Opening hours 8:00 to 17:00)

Information Toxicological Service (National Institute of Toxicology) Phone: +34 91 5620420.

In Spanish language (24h/365 days). Healthy emergencies only.

SECTION 2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) N°1272/2008 (CLP):

Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Chronic Hazard, Category 3	H412
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

(Continues on the next page)

SAFETY DATA SHEET (REACH)

In accordance with Regulation (EC) No 2020/878, amendment to Annex II of Regulation (EC) No 1907/2006 (REACH)

DESA-CHEM EAC (COMP. B)

Revision 01: eng 06/02/2023
(sup: 11/02/2022)
Page 2 to 13

2.2. Label elements:

Labelling according to Regulation (EC) n° 1272/2008 (CLP):

Hazard statements (CLP):

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H412 - Harmful to aquatic life with long lasting effects.

Signal words: Warning

Contains: DIBENZOYL PEROXIDE.

Hazard pictograms:

GHS07



Precautionary statements:

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective clothing, eye protection, face protection.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

2.3. Other hazards

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3. COMPOSITION. INFORMATION ON INGREDIENTS

3.1. Substances:

Not applicable

SAFETY DATA SHEET (REACH)

In accordance with Regulation (EC) No 2020/878, amendment to Annex II of Regulation (EC) No 1907/2006 (REACH)



DESA-CHEM EAC (COMP. B)

Revision 01: eng 06/02/2023
(sup: 11/02/2022)
Page 3 to 13

3.2. Mixtures:

Name	Product identifier	%	Classification according to regulation (EC) No. 1272/2008 [CLP]
DIBENZOYL PEROXIDE.	CAS-No.: 94-36-0 EC-No.: 202-327-6 EC Index-No.: 617-008-00-0 REACH-no: 01-2119511472-50	10 – 20	Org. Perox. B, H241 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
ETHYLENE GLYCOL. substance with a Community workplace exposure limit	CAS-No.: 107-21-1 EC-No.: 203-473-3 EC Index-No.: 603-027-00-1 REACH-no: 01-2119456816-28	3 – 10	Acute Tox. 4 (Oral), H302 STOT RE 2, H373

Full text of H- and EUH-statements: see section 16

SECTION 4. FIRST AID MEASURES

4.1. Description of first aid measures

First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	May cause an allergic skin reaction.
Symptoms/effects after eye contact	Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically

SECTION 5. Firefighting measures

5.1. Extinguishing media:

Suitable extinguishing media Water spray. Dry powder. Foam.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire Toxic fumes may be released.

5.3. Advice for fire-fighters

Protection during firefighting Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

(Continues on the next page)

SAFETY DATA SHEET (REACH)

In accordance with Regulation (EC) No 2020/878, amendment to Annex II of Regulation (EC) No 1907/2006 (REACH)



DESA-CHEM EAC (COMP. B)

Revision 01: eng 06/02/2023
(sup: 11/02/2022)
Page 4 to 13

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures
Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment
Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions:

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up:

Methods for cleaning up	Mechanically recover the product.
Other information	Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections:

For further information refer to section 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.
Hygiene measures	Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions
Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available.

(Continues on the next page)

SAFETY DATA SHEET (REACH)

In accordance with Regulation (EC) No 2020/878, amendment to Annex II of Regulation (EC) No 1907/2006 (REACH)



DESA-CHEM EAC (COMP. B)

Revision 01: eng 06/02/2023
(sup: 11/02/2022)
Page 5 to 13

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

DIBENZOYL PEROXIDE. (94-36-0)	
United Kingdom - Occupational Exposure Limits	
Local name	Dibenzoyl peroxide
WEL TWA (OEL TWA) [1]	5 mg/m ³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
ETHYLENE GLYCOL. (107-21-1)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Ethylene glycol
IOEL TWA [ppm]	20 ppm
IOEL STEL	104 mg/m ³
IOEL STEL [ppm]	40 ppm
Remark	Skin
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
United Kingdom - Occupational Exposure Limits	
Local name	Ethane-1,2-diol
WEL TWA (OEL TWA) [1]	10 mg/m ³ particulate 52 mg/m ³ vapour
WEL TWA (OEL TWA) [2]	20 ppm vapour
WEL STEL (OEL STEL)	104 mg/m ³ vapour
WEL STEL (OEL STEL) [ppm]	40 ppm vapour
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2 Recommended monitoring procedures

No additional information available

8.1.3 Air contaminants formed

No additional information available

8.1.4 DNEL and PNEC

No additional information available

8.1.5 Control banding

No additional information available

(Continues on the next page)

SAFETY DATA SHEET (REACH)

In accordance with Regulation (EC) No 2020/878, amendment to Annex II of Regulation (EC) No 1907/2006 (REACH)

DESA-CHEM EAC (COMP. B)

Revision 01: eng 06/02/2023
(sup: 11/02/2022)
Page 6 to 13

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1 Eye and face protection

Eye protection:

Safety glasses

8.2.2.2 Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Chemical resistant gloves (according to European standard EN 374 or equivalent)

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves, Reusable gloves	Nitrile rubber (NBR), Butyl rubber, Viton® II	6 (> 480 minutes)	0.4	As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.	EN ISO 374

8.2.2.3 Respiratory protection

Respiratory protection:

Wear suitable respiratory equipment in case of insufficient ventilation. EN141

8.2.2.4 Thermal hazards

No additional information available

8.2.3 Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

(Continues on the next page)

SAFETY DATA SHEET (REACH)

In accordance with Regulation (EC) No 2020/878, amendment to Annex II of Regulation (EC) No 1907/2006 (REACH)



DESA-CHEM EAC (COMP. B)

Revision 01: eng 06/02/2023
(sup: 11/02/2022)
Page 7 to 13

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	Solid
Colour	Beige. Black. white. Grey.
Appearance	Paste.
Odour	Barely perceptible odour.
Odour threshold	Not available
Melting point	0 °C
Freezing point	Not available
Boiling point	Not available
Flammability	Not available
Oxidising properties	Not oxidising.
Explosive limits	Not applicable
Lower explosion limit	Not applicable
Upper explosion limit	Not applicable
Flash point	Not applicable
Auto-ignition temperature	Not applicable
Decomposition temperature	Not available
SADT	≈ 50 °C
pH	Not available
pH solution	Not available
Viscosity, kinematic	Not applicable
Solubility	Material insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	Not available
Vapour pressure at 50 °C	Not available
Density	Not available
Relative density	1.45 g/cm3
Relative vapour density at 20 °C	Not applicable
Particle size	Not available
Particle size distribution	Not available
Particle shape	Not available
Particle aspect ratio	Not available
Particle aggregation state	Not available
Particle agglomeration state	Not available
Particle specific surface area	Not available
Particle dustiness	Not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

(Continues on the next page)

SAFETY DATA SHEET (REACH)

In accordance with Regulation (EC) No 2020/878, amendment to Annex II of Regulation (EC) No 1907/2006 (REACH)



DESA-CHEM EAC (COMP. B)

Revision 01: eng 06/02/2023
(sup: 11/02/2022)
Page 8 to 13

9.2.2. Other safety characteristics

No additional information available

SECTION 10. STABILITY AND REACTIVITY

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) Not classified

Acute toxicity (dermal) Not classified

Acute toxicity (inhalation) Not classified

DIBENZOYL PEROXIDE. (94-36-0)	
LD50 oral rat	> 2000 mg/kg
ETHYLENE GLYCOL. (107-21-1)	
LD50 oral rat	7712 mg/kg bodyweight Animal: rat
LD50 dermal	3500 mg/kg

Skin corrosion/irritation Not classified

ETHYLENE GLYCOL. (107-21-1)	
pH	6 – 7.5 Source: GESTIS

Serious eye damage/irritation Causes serious eye irritation.

ETHYLENE GLYCOL. (107-21-1)	
pH	6 – 7.5 Source: GESTIS

Respiratory or skin sensitisation May cause an allergic skin reaction

Germ cell mutagenicity Not classified

Carcinogenicity Not classified

DIBENZOYL PEROXIDE. (94-36-0)	
IARC group	3 - Not classifiable

(Continues on the next page)

SAFETY DATA SHEET (REACH)

In accordance with Regulation (EC) No 2020/878, amendment to Annex II of
Regulation (EC) No 1907/2006 (REACH)



DESA-CHEM EAC (COMP. B)

Revision 01: eng 06/02/2023
(sup: 11/02/2022)
Page 9 to 13

Reproductive toxicity Not classified
STOT-single exposure Not classified
STOT-repeated exposure Not classified

ETHYLENE GLYCOL. (107-21-1)	
NOAEL (oral, rat, 90 days)	150 mg/kg bodyweight/day

Aspiration hazard Not classified

11.2. Information on other hazards

No additional information available

SECTION 12. ECOLOGICAL INFORMATION**12.1. Toxicity**

Ecology – general Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term (acute) Not classified

Hazardous to the aquatic environment, long-term (chronic) Harmful to aquatic life with long lasting effects.

Not rapidly degradable

CATALYST COMP.B	
LC50 - Fish [1]	> 100 mg/l OECD TG 203
EC50 - Other aquatic organisms [1]	> 10 mg/l OECD TG 202
EC50 72h - Algae [1]	> 60 mg/l OECD TG 201
DIBENZOYL PEROXIDE. (94-36-0)	
LC50 - Fish [1]	0.0602 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	0.11 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	0.11 mg/l
ErC50 algae	0.071 mg/l Source: ECHA
ETHYLENE GLYCOL. (107-21-1)	
LC50 - Fish [1]	> 72860 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	100 mg/l
EC50 96h - Algae [1]	6500 – 13000 mg/l Source: ECHA
NOEC (chronic)	≥ 1000 mg/l Test organisms (species): Americamysis bahia (previous name: Mysidopsis bahia) Duration: '23 d'
NOEC chronic fish	15380 mg/l
NOEC chronic crustacea	8590 mg/l

12.2. Persistence and degradability

No additional information available.

12.3. Bioaccumulative potential

DIBENZOYL PEROXIDE. (94-36-0)	
Partition coefficient n-octanol/water (Log Pow)	3.46 Source: HSDB
ETHYLENE GLYCOL. (107-21-1)	
Partition coefficient n-octanol/water (Log Pow)	-1.36

(Continues on the next page)

SAFETY DATA SHEET (REACH)

In accordance with Regulation (EC) No 2020/878, amendment to Annex II of Regulation (EC) No 1907/2006 (REACH)



DESA-CHEM EAC (COMP. B)

Revision 01: eng 06/02/2023
(sup: 11/02/2022)
Page 10 to 13

12.4. Mobility in soil

ETHYLENE GLYCOL. (107-21-1)	
Mobility in soil	0.2 Source: HSDB

12.5. Results of PBT and vPvB assessment

No additional information available.

12.6. Endocrine disrupting properties

No additional information available.

12.7. Other adverse effects

No additional information available.

SECTION 13. DISPOSAL CONSIDERATIONS**13.1. Waste treatment methods**

Waste treatment methods

Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14. TRANSPORT INFORMATION

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2. UN proper shipping name				
Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.3. Transport hazard class(es)				
Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.4. Packing group				
Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.5. Environmental hazards				
Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
No supplementary information available				

14.6. Special precautions for user**Overland transport**

Not regulated.

Transport by sea

Not regulated.

Air transport

Not regulated.

Inland waterway transport

Not regulated.

(Continues on the next page)

SAFETY DATA SHEET (REACH)

In accordance with Regulation (EC) No 2020/878, amendment to Annex II of Regulation (EC) No 1907/2006 (REACH)



DESA-CHEM EAC (COMP. B)

Revision 01: eng 06/02/2023
(sup: 11/02/2022)
Page 11 to 13

Rail transport

Not regulated.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no REACH substances with Annex XVII restrictions

REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances

REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

15.1.2. National regulations

No additional information available

15.2. Chemical Safety Assessment:

No chemical safety assessment has been carried out.

SECTION 16. OTHER INFORMATION

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level

(Continues on the next page)

SAFETY DATA SHEET (REACH)

In accordance with Regulation (EC) No 2020/878, amendment to Annex II of Regulation (EC) No 1907/2006 (REACH)



DESA-CHEM EAC (COMP. B)

Revision 01: eng 06/02/2023
(sup: 11/02/2022)
Page 12 to 13

EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer :
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H241	Heating may cause a fire or explosion.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Org. Perox. B	Organic Peroxides, Type B
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2

(Continues on the next page)

SAFETY DATA SHEET (REACH)

In accordance with Regulation (EC) No 2020/878, amendment to Annex II of Regulation (EC) No 1907/2006 (REACH)



DESA-CHEM EAC (COMP. B)

Revision 01: eng 06/02/2023
(sup: 11/02/2022)
Page 13 to 13

The classification complies with ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Modifications compared to the previous SDS:

This file corresponds to the first version prepared in accordance with Regulation (EU) No. 878/2020, according to the update provided by the supplier.

Methods used for the purposes of classification of the mixture according to Regulation 1272/2008 (CLP):

Calculation performed from the classification of components.

Recommendations for training workers:

It is advisable to basic training regarding occupational health and safety for proper handling.

Legal disclaimer:

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

The information in this SDS is based on current knowledge and on current EU and national laws, as the working conditions of users are beyond our knowledge and control.

The product should not be used for purposes other than those specified, without an instruction in writing, of its handling. It is always the responsibility of the user to take appropriate measures in order to meet the requirements established by current legislation.